




Carga kg. 230


ESPACIO OCUPADO




	P ₁	W ₁	P ₂		W ₂	P ₃	G ₁	G ₂	H	W ₃		
			N / F	A						~	N	F
SP108-750	750	900	1090	1225	1170	390	140	120	1150	1440	2040	1440
SP108-700	700	900	1040	1175	1170	390	140	120	1150	1440	2040	1440
SP108-650	650	900	990		1170	420	140	120	1150	1440	2040	
SP108-600	600	900	940		1170	420	140	120	1150	1440	2040	

Medidas expresas en mm


Tipología PLATAFORMA





Tipología RAMPAS



SALIDAS






FIJACIONES





– Pendiente constante




RAMPA RECTILÍNEA



Rampa "S"	W	L		G min
		N / F	A	
SP108-750	750	1140	1275	120
SP108-700	700	1090	1225	120
SP108-650	650	1040		120
SP108-600	600	1000		120

Rampa "T"	W	L		G min
		N / F	A	
SP108-750	750	1140	1275	120
SP108-700	700	1090	1225	120
SP108-650	650	1040		120
SP108-600	600	1000		120




CURVA INTERNA A 90°



Rampa "S"	W	L		G min
		N / F	A	
SP108-750	750	1300	1370	150
SP108-700	700	1250	1320	150
SP108-650	650	1200		150
SP108-600	600	1150		150

Rampa "T"	W	L		G min
		N / F	A	
SP108-750	750	1250		150
SP108-700	700	1200		150
SP108-650	650	1150		150
SP108-600	600	1100		150

CURVA EXTERNA A 90°






Rampa "S"	W	L		G min
		N / F	A	
SP108-750	750	1180	1275	120
SP108-700	700	1145	1225	120
SP108-650	650	1110		120
SP108-600	600	1075		120

Rampa "T"	W	L		G min
		N / F	A	
SP108-750	750	1180		120
SP108-700	700	1145		120
SP108-650	650	1110		120
SP108-600	600	1075		120



– Pendiente constante




CURVA INTERNA A 180°



Rampa "S"	W	L1		L2 min		L3 max	G min
		N / F	A	N / F	A		
SP108-750	750	1300	1370	2700	2840	100	150
SP108-700	700	1250	1320	2600	2740	100	150
SP108-650	650	1200		2500		100	150
SP108-600	600	1150		2400		100	150

Rampa "T"							
SP108-750	750	1250		2600		100	150
SP108-700	700	1200		2500		100	150
SP108-650	650	1150		2400		100	150
SP108-600	600	1100		2300		100	150




CURVA EXTERNA A 180°



Rampa "S"	W	L1		L2 min	L3 max		G min
		N / F	A		N / F	A	
SP108-750	750	1180	1275	2640	280	90	150
SP108-700	700	1145	1225	2640	350	190	150
SP108-650	650	1110		2640	420		150
SP108-600	600	1075		2640	490		150

Rampa "T"							
SP108-750	750	1180		2640	280		150
SP108-700	700	1145		2640	350		150
SP108-650	650	1110		2640	420		150
SP108-600	600	1075		2640	490		150

ACCESO



RAMPA

